

Letzte Seite

Wonca Journal Watch

Signs and symptoms of UTI in children

The researchers concluded: "Although individual signs and symptoms were helpful in the diagnosis of a UTI, they were not sufficiently accurate to definitively diagnose UTIs. Combination of findings can identify infants with a low likelihood of a UTI."

- Shaikh N, Morone NE, Lopez J, Chianese J, Sangvai S, et al. Does this child have a urinary tract infection? JAMA. 2007;298(24):2895-904.

A modest amount of moderate-intensity exercise in the absence of dietary changes significantly improved metabolic syndrome

The researchers concluded: "... a modest amount of moderate-intensity exercise in the absence of dietary changes significantly improved MS and thus supported the recommendation that adults get 30 minutes of moderate-intensity exercise every day. A higher amount of vigorous exercise had greater and more widespread benefits. Finally, there was an indication that moderate-intensity may be better than vigorous-intensity exercise for improving MS."

- Johnson JL, Slentz CA, Houmar JA, Samsa GP, Duscha BD, et al. Exercise training amount and intensity effects on metabolic syndrome (from studies of a targeted risk reduction intervention through defined exercise). Am J Cardiol. 2007;100(12):1759-66.

10-year survival equal with PCI and CABG

The authors concluded: "Compared with PCI, CABG was more effective in relieving angina and led to fewer repeated revascularizations but had

a higher risk for procedural stroke. Survival to 10 years was similar for both procedures."

- Bravata DM, Gienger AL, McDonald KM, Sundaram V, Perez MV, et al. Systematic review: the comparative effectiveness of percutaneous coronary interventions and coronary artery bypass graft surgery. Ann Intern Med. 2007;147(10):703-16.

Knowledge assessment instrument for assessing understanding of postpartum tubal sterilization for consent requirements

The researchers concluded: "The PTSK-Q is a valid, readable and reliable knowledge assessment instrument for assessing understanding of postpartum sterilization and Medicaid sterilization consent requirements."

- Zeit NB, Wallace LS. Development and validation of a Medicaid postpartum tubal sterilization knowledge questionnaire. Contraception. 2007;76(4):28791.

Consistent condom use associated with a decrease in the risk for bacterial vaginosis

The researchers concluded: "Consistent condom use was associated with a decrease in the risk for bacterial vaginosis and associated vaginal microflora."

- Hutchinson KB, Kip KE, Ness RB. Condom use and its association with bacterial vaginosis and bacterial vaginosis-associated vaginal microflora. Epidemiology. 2007;18(6):702-8.

Wonca clinical reviews

Outstanding review articles on topics relevant to family medicine derived after scanning over 190 family medicine, general and specialist journals.

Time is brain – acute stroke management

- Dhamija RK, Donnan GA. Time is brain – acute stroke management. Aust Fam Physician. 2007 Nov;36(11):892-5. Available from: <http://www.aafp.org/afp/20071201/1679.html>.

Differential diagnosis of swollen red eyelid

- Papier A, Tuttle DJ, Mahar TJ. Differential diagnosis of the swollen red eyelid. Am Fam Physician. 2007;76:1815-24. Available from: <http://www.aafp.org/afp/20071215/1815.pdf>.

Effects of early nutritional interventions on the development of atopic disease

- Greer FR, Sicherer SH, Burks AW; American Academy of Pediatrics Committee on Nutrition; American Academy of Pediatrics Section on Allergy and Immunology. Effects of early nutritional interventions on the development of atopic disease in infants and children: The role of maternal dietary restriction, breastfeeding, timing of introduction of complementary foods, and hydrolyzed formulas. Pediatrics. 2008 Jan;121(1):183-91. Available from: <http://pediatrics.aappublications.org/cgi/content/full/121/1/183>.

Kongressausschreibung

1st Virtual Congress of General Practice and Family Medicine

April, May and June 2008

www.mgfvirtual.com/congresso

In English and Portuguese

Deadline for abstract submission:

February 15th 2008.

Registration now – for free

IMPRESSUM

Verlag
EMH Editores Medicorum Helveticorum
EMH Schweizerischer Ärzteverlag AG
Farnsburgerstrasse 8, CH-4132 Muttenz
Tel. +41 (0)61 467 85 55
Fax +41 (0)61 467 85 56
Website www.emh.ch

Trägergesellschaften
Kollegium für Hausarztmedizin
Schweizerische Gesellschaft für Allgemeinmedizin
Schweizerische Gesellschaft für Innere Medizin
Schweizerische Gesellschaft für Pädiatrie
Schweizerische Gesellschaft für Psychosomatische und Psychosoziale Medizin
Akademie für Psychosomatische und Psychosoziale Medizin

Redaktion
Joël Cuénod, Bruno Kissling,
Danièle Lefebvre, Pierre Loeb,
Franz Marty, Natalie Marty,
Rudolf Meyer, Stefan Neuner,
Edy Riesen, Bernhard Rindlisbacher,
Peter Tschudi, Daniel Widmer

Redaktionsadresse
Redaktion PrimaryCare
EMH Schweizerischer Ärzteverlag AG
Farnsburgerstrasse 8
CH-4132 Muttenz
Tel. +41 (0)61 467 85 54
Fax +41 (0)61 467 85 56
E-Mail: primary-care@emh.ch
Website www.primary-care.ch

Lektorat
Tobias Lerch (deutsch),
Christiane Hoffmann (französisch)

Inserate EMH
Ariane Furrer, Assistentin Inserateregie,
Tel. +41 (0)61 467 85 88
Fax +41 (0)61 467 85 56
E-Mail: afurrer@emh.ch

Marketing EMH
Thomas Gierl M.A., Leiter Marketing
und Kommunikation
Tel. +41 (0)61 467 85 49
Fax +41 (0)61 467 85 56
E-Mail: tgierl@emh.ch

Abonnemente EMH
Tel. +41 (0)61 467 85 75, Fax +41 (0)61 467 85 76
E-Mail: abo@emh.ch

Jahresabonnement
CHF 125.– (zuzüglich Porto)

Herstellung
Schwabe AG, Muttenz

ISSN 1424-3776 Erscheint 2008 20mal

© 2008 by EMH Schweizerischer Ärzteverlag AG, Basel. All rights reserved. No part of this publication may be reproduced, stored in a retrieval system, or transmitted in any form or be translated without prior permission, in writing, of the EMH.